ıξ	S Form PTO/SB/08:	Substitute	for form	1449A/	PTC
	(M DI	^^.	_

Sheet

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

C	omplete if Known				
Application Number	10/625,526	_			
Filing Date	July 24, 2003				
First Named Inventor	Morton M. Mower				
Art Unit					
Examiner Name					
Attorney Docket Number	06809.0031-00000				

			U.S. PATENTS	AND PUBLISHE	D U.S. PATENT APPLICAT	TONS
OIPE	Examiner Attials	Cite No.1	Document Number Number-Kind Code ² (# known)	Issue or Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	art (g)		US - 4,712,555	12-15-1987	Thornander et al.	
ULT .	ו ויה ו					
TENT & TRA	EMPE					
9 185			· · · · · · · · · · · · · · · · · · ·			
				<u> </u>		

Note: Copies of the U.S. Patent Documents are not Required in IDS filed after October 21, 2004

	FOREIGN PATENT DOCUMENTS							
Examiner Initials	Cite No.1	Foreign Patent Document Country Code ² Number ⁴ Kind Code ⁵ (# known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	Translation ⁶		
()P		WO 86/05698	Oct. 9, 1986	Pacesetter Systems, Inc.		1		
MΡ		EPO 0 494 487 A2	Jul. 15, 1992	R. Chirife	_	1		
no	-	EPO 0 726 082 A2	Aug. 14, 1996	Pacesetter Systems, Inc.		1		
14		EPO 1 249 254 A2	Oct. 16, 2002	Pacesetter Systems, Inc.		1		
18		EPO Search Report PCT/US2004/019107	July 26, 2004					

	NON PATENT LITERATURE DOCUMENTS						
Examiner Initials	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Translation ⁶				
			 				
			<u> </u>				

Examiner Signature	hours Pro	Date Considered	4/12/06

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

			07			
IDS Form PTO/SI	3/08: Substitute for fon	m 1449A/PT	100	4	Co	omplete if Known
		営	71,	Ap	olication Number	10/625,526
INFO	DRMATION D	ISCLOSI	RE M	剞	ng Date	July 24, 2003
STA	TEMENT BY	APPI IC	NT	XIF/rs	t Named Inventor	Morton M. Mower
314	DRMATION D TEMENT BY (Use as many sheets	AFFLICA	PARTE	Art	Unit	3762
	(Use as many sheets	as necessary)		Exa	aminer Name	Unknown
Sheet	1	of	13	Atto	mey Docket Number	06809.0031

		U.S. PATENTS	AND PUBLISHE	D U.S. PATENT APPLICAT	rions
Examiner Initials	Cite No.1	Document Number	Issue or Publication Date	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant
13.0	<u> </u>	Number-Kind Code ² (# known)	MM-DD-YYYY		Figures Appear
INP	<u> </u>	US-3,345,990	10/10/1967	Berkovits	
		US3,431,912	03/11/1969	Keller, Jr.	
		US3,433,228	03/18/1969	Keller, Jr.	
	<u> </u>	US-3,595,242	07/27/1971	Berkovits	
		US3,648,707	03/14/1972	Greatbach	
		US-3,747,604	07/24/1973	Berkovits	
		US-3,814,106	06/04/1974	Berkovits	
		US3,903,897	09/09/1975	Woolons et al.	
		US3,937,226	02/10/1976	Funke	
		US4,052,991	10/11/1977	Zacouto	
		US4,057,067	11/08/1977	Lajos	
		US4,088,140	05/09/1978	Rockland et al.	
		US4,303,075	12/01/1981	Heilman et al.	
		US4,312,355	01/26/1982	Funke	
		US4,332,259	06/01/1982	McCorkle, Jr.	
		US4,335,727	06/22/1982	McPherson	
		US4,354,497	10/19/1982	Kahn	
		US4,378,020	05/29/1983	Nappholz et al.	
		US-4,401,119	08/30/1983	Herpers	
		US4,418,695	12/06/1983	Buffet	
		US-4,429,697	02/07/1984	Nappholz et al.	
		US4,452,248	06/05/1984	Keller, Jr.	
		US4,458,677	07/10/1984	McCorkle, Jr.	
		US4,541,417	09/17/1985	Krikorian	
		US4,548,203	10/22/1985	Tacker, Jr. et al.	
		US-4,554,922	11/26/1985	Prystowsky, et al.	
		US4,624,260	11/25/1986	Baker, Jr. et al.	
		US4,685,446	08/11/1987	Choy	
		US4,705,043	11/10/1987	Imran	
		US4,727,877	03/01/1988	Kallok	
1		US4,774,950	10/04/1988	Cohen	
1		US4,790,317	12/13/1988	Davies	
4		US4,799,486	01/24/1989	DuFault	

Sheet

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

2 of

13

	Complete ir Anown				
Application Number	10/625,526				
Filing Date	July 24, 2003				
First Named Inventor	Morton M. Mower				
Art Unit	3762				
Examiner Name	Unknown				
Attorney Docket Number	06809.0031				

Examiner	Cite	Document Number	Issue or	Name of Patentee or	Pages, Columns, Lines, Where
Initials	No.1	Number-Kind Code ² (# known)	Publication Date MM-DD-YYYY	Applicant of Cited Document	Relevant Passages or Relevant Figures Appear
W		US4,817,608	04/04/1989	Shapland et al.	
\overline{T}		US4,827,932	05/09/1989	ldeker et al.	
		US4,827,934	05/09/1989	Ekwall	
		US4,830,006	05/16/1989	Haluska et al.	-
		US4,925,443	05/15/1990	Heilman et al.	
		US4,928,688	05/29/1990	Mower	
		US4,932,407	06/12/1990	Williams	
		US-4,967,749	11/06/1990	Cohen	
		US4,974,588	12/04/1990	Smits	
		US5,014,696	05/14/1991	Mehra	
1		US5,024,222	06/18/1991	Thacker	
		US5,083,563	01/28/1992	Collins	
		US-5,099,838	03/31/1992	Bardy	,-
		US5,111,811	05/12/1992	Smits	
		US5,129,394	07/14/1992	Mehra	
		US5,158,097	10/27/1992	Christlieb	
		US-5,213,098	05/25/1993	Bennett et al.	
		US5,251,621	10/12/1993	Collins	
		US-5,334,222	08/02/1994	Salo et al.	
		US-5,545,204	08/13/1996	Cammilli et al.	
		US-5,584,868	12/17/1996	Salo et al.	
		US5,899,930	05/04/1999	Flynn et al.	
1		US5,626,620	05/06/1997	Kieval et al.	
		US-5,902,324	05/11/1999	Thompson et al.	
		US5,919,209	07/06/1999	Schouten	
		US6,185,459 B1	02/06/2001	Mehra et al.	
		US6,298,268 B1	10/02/2001	Ben-Haim et al.	
		US6,317,631 B1	11/13/2001	Ben-Haim et al.	
\neg		US6,330,476 B1	12/11/2001	Ben-Haim et al.	
		US6,337,995 B1	01/08/2002	Mower	
		US6,463,324 B1	10/08/2002	Ben-Haim et al.	
V		USRE38119 E	05/20/2003	Mower	

Note: Copies of the U.S. Patent Documents are not Required in IDS filed after October 21, 2004

Sheet

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)
3 of

Complete if Known				
Application Number	10/625,526			
Filing Date	July 24, 2003			
First Named Inventor	Morton M. Mower			
Art Unit	3762			
Examiner Name	Unknown			
Attorney Docket Number	06809.0031			

		FORE	GN PATENT	DOCUMENTS		
Examiner Initiats	Cite No.1	Foreign Patent Document Country Code ³ Number ⁴ Kind Code ⁶ (If known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	Translation ⁶
M		GB 1401247	11/16/1983	Siemens Aktiengese Lischaft		/
18		GB 2119255A	07/23/1975	Telectronics Pty. Ltd.		
ne		EP 0017447 A1	10/15/1980	Medtronic, Inc.		
N ^S		EP 0039269 A1	11/14/1981	Medtronic, Inc.		·/
W		WO 82/03783	11/11/1982	Biotronik		English- Language Abstract

13

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Translation ⁸
		Morton M. MOWER, U.S. Application No. 10/214,474, entitled "METHOD AND APPARATUS FOR TREATING HEMODYNAMIC DISFUNCTION," filed August 8, 2002 (Continuation Reissue Application of U.S. Patent No. 4,928,688).	Could not Find
I)		Picture of Biventricular Pacer manufactured by American Optical Co., American Optical Corp., Research Division, Biventricular Pacer Device, 1975.	
		ARANDA et al., "A New Pacemaker for Simultaneous Biventricular Stimulation of the Human Heart," Clin. Res., Vol. XXIV, No. 3, p. 206A (1976).	Cin 10 not Find/
UK		BADEER, "Relation of ECG to Mechanical Events," Cardiovascular Physiology, 1984, 6:57-58.	1.50.000
ive		BAILON et al., "Some Data for an Unanswered Question: Choosing the Ventricular Electrode Place," Pacing and Clinical Electrophysiology, Volume 8, No. 3, Part II, p. A-11 (1985).	
w		BAKKER et al., "Beneficial Effects of Biventricular Pacing in Congestive Heart Failure," <i>PACE</i> , 1994 Apr, 17 (4):820.	
M		BAKKER et al., "Biventricular Pacing in Congestive Heart Failure," Clinical Research, vol. 42, no. 2., April 1994, p. 327A.	
IP		BAKKER et al., "Biventricular Pacing Improves Functional Capacity in Patients with End-Stage Congestive Heart Failure," PACE, NASPE Abstracts 1995 (18):825.	
W		BAROLD et al., "First Reports of Electrical Multisite Ventricular Activation in Humans," <i>PACE</i> , 2000 December, (23):2117-2119.	
1/8		BASHIR et al., "Combined Use of Transesophageal ECHO and Fluoroscopy for the Placement of Left Ventricular Pacing Leads Via the Coronary Sinus," <i>PACE</i> , 2003 October, (26):1951-1954.	
VP		BEFELER et al., "Programmed Simultaneous Biventricular Stimulation in Man, with Special Reference to its Use in the Evaluation of Intraventricular Reentry," Eur. J. of Cardiology, Vol. 9, No. 5, pp. 369-378 (1979).	

A

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

	(500 00 110010		
Sheet	4	of	13

Complete if Known					
Application Number	10/625,526				
Filing Date	July 24, 2003				
First Named Inventor	Morton M. Mower				
Art Unit	3762				
Examiner Name	Unknown				
Attorney Docket Number	06809.0031				

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Translation ⁶
MP		BENCHIMOL et al., "Cardiac Hemodynamics During Stimulation of the Right Atrium, Right Ventricle, and Left Ventricle in Normal and Abnormal Hearts," <i>Circulation</i> , Vol. 33, June 1966, pp. 933-944.	
W		BENCHIMOL et al., "Contribution of Atrial Systole to the Cardiac Function at a Fixed and at a Variable Ventricular Rate," <i>The American Journal of Cardiology</i> , Vol. 16, No. 1, July 1965, pp. 11-21.	
M		BLACKBURN et al., "Ventricular Pacing from the Coronary Sinus of a Patient with a Fontan Circulation," <i>Br. Heart J.</i> , 1993, (70):578-579.	
W		BOCCHIARDO et al., "Efficacy of Biventricular Sensing and Treatment of Ventricular Arrhythmias," <i>PACE</i> , Vol. 23, 2000 November, 1989-1991.	
Ж		BOURASSA, "Hemodynamic Studies During Intermittent Left Bundle Branch Block," American Journal of Cardiology, 1962 December, 792-799.	·
M		BOVE et al., "Ventricular Interdependence," <i>Prog. Cardiovasc. Dis.</i> , 1981 Mar-Apr; 23(5):365-388.	
B		BRACKE et al., "Extraction of Pacemaker and Implantable Cardioverter Defibrillator Leads: Patient and Lead Characteristics in Relation to the Requirement of Extraction Tools," PACE, 2002 July, (25):1037-1040.	
M	.=	BROKA et al., "Hemodynamic Effects of Atrio-Biventricular Pacing," <i>Ann. Thoracic Surg.</i> , 1995, (60):1156.	
W		BROWNLEE et al., "New Functional Configurations for Adaptive Pacemakers," 28 th ACEMB, New Orleans, Sept. 20-24, 1975, p. 84.	
M		BROWNLEE et al., "Advances in ventricular synchronous demand cardiac pacemakers," <i>Med. Instrum.</i> , 1978 Mar-Apr; 12(2):94-99.	
Je		BROWNLEE et al., "New Interference Sensing Demand Pacemaker Functions," <i>IEEE Transaction on Biomedical Engineering</i> , 1978 May, Vol. BME 25, No. 3, pp. 264-269.	
N		CASTELLANOS et al., "Bipolar Coronary Sinus Lead For Left Atrial and Left Ventricular, Recording," American Heart Journal, 1971, Vol. 81, No. 6, 832-836.	
		CASTELLANOS et al., "Measurement of Conduction Times With Catheter Electrodes During Pacing From Different Ventricular Sites," <i>British Heart Journal</i> , 1975, (37):242-248.	
		CASTELLANOS et al., "Unusual QRS Complexes Produced by Pacemaker Stimuli," American Heart Journal, 1969 June, Vol. 77, No. 6, 732-742.	
		CAZEAU et al., "Four Chamber Pacing in Dilated Cardiomyopathy," PACE, 1994 November, Part II, Vol. 17, 1974-1979.	
		CAZEAU et al., "Multisite Pacing for End-Stage Heart Failure," PACE, 1996 November, (19):1748-1757.	
		CAZEAU et al., "Echocardiographic Modeling of Cardiac Dyssynchorny Before and During Multisite Stimulation: A Prospective Study," <i>PACE</i> , 2003 January, Part II, (26):137-143.	

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

(000 00)									
Sheet		5		of	13				

Complete if Known					
Application Number	10/625,526				
Filing Date	July 24, 2003				
First Named Inventor	Morton M. Mower				
Art Unit	3762				
Examiner Name	Unknown				
Attorney Docket Number	06809.0031				

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Translation ⁶
		CHAMORRO et al., "Ejection VAVE; EF and Phase Histogram to Evaluate a Correct Programation of AV Delay in DDD Pacemakers," European Journal of Nuclear Medicine, Vol. 8, No. 5, pp. A 36 (1983).	Find I dente
WP		COHEN et al., "Hemodynamic Responses to Rapid Pacing: A Model for Tachycardia Differentiation," <i>PACE</i> , 1988 November, (11):1522-1528.	
		Cordis Articor Manual, Implantable P-Wave Synchronized Cardiac Pacers, Model 145, "149-Rev. 3A, October 1973, pp. I-1 to VIII-1.	
←		CURTISS et al., "Electrocardiographically Discrete Right and Left Ventricular QRS Complexes: A Case Report," J. Electrocardiol., 1987 April; 20(2):162-168.	
,	-	D'AIOTOLO et al., "Tratamiento De Las Arritmias Cardiacas," Buenos Aires (1968) (in Spanish). pp. 1-112.	No
K		DAVID et al., "Atrial Alternans: Experimental Echocardiographic and Hemodynamic Demonstration During Programmed Pacing," <i>Am. J. of Cardiology</i> , September 1981, Vol. 48, pp. 468-472.	
		DAWSON et al., "Regional left ventricular wall motion in pacing induced angina," <i>Br. Heart J.</i> , 1988, 59(3):309-318.	
←		DAWSON et al., "Left ventricular filling and early diastolic function at rest and during angina in patients with coronary artery disease," <i>Br. Heart J.</i> 1989, 61(3):248-257.	
8		DE TERESA et al., "An Even More Physiological Pacing: Changing the Sequence of Ventricular Activation," Cardiac Pacing: Proceedings of the VII th World Symposium on Cardiac Pacing, Vienna, May 1-5, 1983, Steinkopff Verlag Darmstadt 1983, pp. 395-400.	
W		DE TERESA et al., "Haemodynamics of Ventricular Depolarization Sequence During Permanent Cardiac Pacing," Cardio Stimolazione, Vol. 2, No. 3, p. 225 (1984).	
W		DE TERESA et al., "Haemodynamics of Ventricular Depolarization Sequence During Permanent Cardiac Pacing," Progress in Clinical Pacing, Proceedings Ed. by Santini et al., pp. 888-894, Rome (1984).	
Mb		DREIFUS et al., "Use of atrial and bifocal cardiac pacemakers for treating resistant dysrhythmias," Eur. J. Cardiol., 1975 Dec.; 3(4):257-266.	
R		DREIFUS et al., "Effect of multiple simultaneous activation sites (biventricular pacing) on ventricular depolarization and ventricular arrhythmias," Cardiac Pacing, Proceedings of the Vth International Symposium, Tokyo, 1976 March, pp. 33-39.	
		DUCK et al., "Vorhofsynchrone Ventrikelstimulation mit verkürzter a.v. Verzögerungszeit als Therapieprinzip der hypertrophischen obstruktiven Kardiomyopathie" "[Atrial Synchronous Ventricular Stimulation With Reduced a.v. Delay Time as a Therapeutic Principle in Hypertrophic Obstructive Cardiomyopathy]," Z. Gesamte Inn. Med., 1984 September 15, (39):18 437-447. (German with English-Language Abstract Attached)	English- Language Abstract
V		ERDOGAN et al., "Proportion of Candidates for Cardiac Resynchronization Therapy," <i>PACE</i> , 2003 January, Part II, 26:152-154.	

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet 6 of 13

Complete if Known				
Application Number	10/625,526			
Filing Date	July 24, 2003			
First Named Inventor	Morton M. Mower			
Art Unit	3762			
Examiner Name	Unknown			
Attorney Docket Number	06809.0031			

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initiats No.'		Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Translation
		FEI et al., "Effects of Multisite Ventricular Pacing on Cardiac Function in Normal Dogs and Dogs with Heart Failure," <i>Journal of Cardiovascular Electrophysiology</i> , 1999 July, 10(7):935-946.	
		FINNEY, Jr., "Hemodynamic Alterations in Left Ventricular Function Consequent to Ventricular Pacing," <i>American J. Physiology</i> , 1965, 208(2):275-282.	
		FOSTER et al., "Acute Hemodynamic Effects of Atrio-Biventricular Pacing in Humans," Annals of Thoracic Surg., 1995, 55:294-300.	
		FUNKE, "[Optimized Sequential Pacing of Atrium and Ventricle - A New Therapeutic Concept in the Treatment of Bradycardial Dysrhythmias]," Herz/Kreisl., October 1978; 10(10):479-483 (German with English-Language Abstract and English Translation Attached).	English Translation
		FURUTA et al., "[Assessment of interaction between the left and right ventricles using pressure-volume loops in various heart diseases]," J. Cardiol., June 1988; 18(2):477-491. (Japanese with English Abstract and Figure Captions)	English- Language Abstract
		GASPARINI et al., on behalf of the Italian InSync ICD Registry Investigators, "Cardiac Resynchronization and Implantable Cardioverter Defibrillator Therapy: Preliminary Results from the InSync Implantable Cardioverter Defibrillator Italian Registry," <i>PACE</i> , 2003 January, 26(1):2, 148-151.	
		GASPARINI et al., "Beneficial Effects of Biventricular Pacing in Patients with a 'Narrow' QRS," PACE, 2003 January, 26(1):2, 169-174.	
		GIBSON et al., "Effect of Changes in Ventricular Activation on Cardiac Haemodynamics in Man: Comparison of Right Ventricular, Left Ventricular, and Simultaneous Pacing of Both Ventricles," <i>Br. Heart J.</i> , 1971 May; 33(3):397-400.	
		GILMORE et al., "Synchronicity of Ventricular Contraction: Observations Comparing Haemodynamic Effects of Atrial and Ventricular Pacing," <i>Br. Heart J.</i> , 1963 May; 25:299-307.	
		GREATBATCH, "The Making of the Pacemaker: Celebrating Lifesaving Invention," Prometheus Books, 2000, pp. 1-260, particularly pp. 14-19.	
		GOMEZ-DOBLAS et al., "Ventricular Geometry And Heart Failure," Rev. Esp. Cardiol., 1999 January, 52(1):47-52. Review. (Spanish with English Abstract)	English- Language Abstract
V		GROVER et al., "Endocardial Pacing Site Affects Left Ventricular End-Diastolic Volume and Performance in the Intact Anesthetized Dog," <i>Circulation Research</i> , 1983 July, 53(1):72-85.	
NB		HAAS et al., "Pacemaker-Induced Cardiovascular Failure," Am. J. of Cardiology, Vol. 33, pp. 295-99 (February 1974).	
Î		HAUSER et al., "Performance of Pacemaker and Implantable Cardioverter Defibrillator Pulse Generators and Leads: Results from the Multicenter Registry," <i>The XIIth World Congress on Cardiac Pacing & Electrophysiology, Hong Kong</i> , February 19-22, 2003, pp. 173-179.	
4		HAYES et al., "Cardiac Pacing: How it Started, Where We Are, Where We Are Going," PACE, 2004 May, 27:693-704.	

Sheet

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)
7 of

13

Complete if Known					
Application Number	10/625,526	_			
Filing Date	July 24, 2003				
First Named Inventor	Morton M. Mower				
Art Unit	3762	_			
Examiner Name	Unknown				
Attorney Docket Number	06809.0031	_			

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Translation ⁶
Mb		HOCHLEITNER et al., "Usefulness of Physiologic Dual-chamber Pacing in Drug-Resistant Idiopathic Dilated Cardiomyopathy," <i>American Journal of Cardiology</i> , 1990 July 15, (66):198-202.	
		HUGHES et al., "Effect of Stimulation Site on Ventricular Threshold in Dogs with Heart Block," American Heart Journal, January 1975, 89(1):68-73.	
		HUGHES et al., "Two To Three Years of Failure-Free Testing of a Rechargeable Pacemaker in Experimental Complete Heart Block," <i>Circulation</i> , August 1976, 54(2):263-266.	
	-	HUGHES et al., "The Effects Of Electrode Position On The Detection Of The Transvenous Cardiac Electrogram," <i>PACE</i> , 1980, 3(6):651-655.	
		HUNT et al., "Long-term Electrode Catheter Pacing from Coronary Sinus," Medical Memoranda, British Medical Journal, 1968 November 23, pp. 495-496.	
		JANOSIK et al., "The Hemodynamic Benefit of Differential Atrioventricular Delay Intervals for Sensed and Paced Atrial Events During Physiologic Pacing," <i>J. Am. Coll. Cardiol.</i> , 1989 August, 14(2):499-507.	,
	-	JEFFREY, Excerpts from Machines in Our Hearts, 2001, The John Hopkins University Press, Chapter 2, pp. 36-39, 65-66, 90-100, 118-120, 170-171, and 236-237.	
		JIMENEZ-NAVARRO et al., Correspondence to the Editor about "Left Ventricular Assist Device," N. Engl. J. Med., 2002 March 28, 346(13):1023-1025; author reply 1023-1025.	
		KARLÖF, Ingvar, "Haemodynamic Effect of Atrial Triggered Versus Fixed Rate Pacing at Rest and During Exercise in Complete Heart Block," <i>Acta. Med. Scand.</i> , 197(3):195-206, March 1975.	
		KAWAMURA et al., "[83. Experimental Study of RV-LV Simultaneous Pacing as More Physiological Pacing]," Idem Job No. 0412-137, 1982, pp. 285-286. (Japanese with English Translation)	English Translation Attached
		KENNERGREN et al., "Cardiac Lead Extraction with a Novel Locking Stylet," Journal of Interventional Cardiac Electrophysiology, 2000, V.4, pp. 591-593.	
		KERR et al., "Transvenous Atrial Pacing Following Amputation of the Atrial Appendage at Open Heart Surgery," PACE, 1985 July-August, (8):497-501.	
		KERR et al., "Atrial Pacing: Efficacy and Safety," PACE, 1989 July, 12(1):1049-1054.	
		KLUG et al., "Pacemaker Lead Extraction With the Needle's Eye Snare for Countertraction Via a Femoral Approach," PACE, 2002 July, 25(7):1023-1028.	
1		LATTUCA et al., "Bi-Ventricular Pacing to Improve Cardiac Hemodynamics," Clinical Research, 1990 October, 38 (3):882A.	
UK.		LIMA et al., "Incomplete Filling and Incoordinate Contraction as Mechanisms of Hypotension during Ventricular Tachycardia in Man," Circulation, Vol. 68, No. 5, pp. 928-37 (1983).	

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

13

Sheet	8	of	

Complete if Known				
Application Number	10/625,526			
Filing Date	Juty 24, 2003			
First Named Inventor	Morton M. Mower			
Art Unit	3762			
Examiner Name	Unknown			
Attorney Docket Number	06809.0031			

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Translation ⁶
		LISTER et al., "Effect of Pacemaker Site on Cardiac Output and Ventricular Activation in Dogs with Complete Heart Block,: Am. J. of Cardiology, Vol. 14, pp. 494, 496, 500 (1964).	could not Fund/identa
Nr		MAGDER et al., "Effect of Negative Pleural Pressure on Left Ventricular Hemodynamics," Am. J. of Cardiology, Sept. 1, 1983, 52(5), pp. 588-93 (Abstract Only).	
Mb		MANN et al., "Importance of Pacing Site in Entrainment of Ventricular Tachycardia," J. Am. College of Cardiology, Vol. 5, No. 3, pp. 781-787 (1985).	
		MARCHLINSKI et al., "Atrial and Ventricular Burst Pacing from a Coronary Sinus Catheter: Relation to Position of Radiofrequency Transmitter," <i>PACE</i> , 1985 May-June, 8(I), 399-401.	
		McINTOSH et al., "The Hemodynamic Consequences of Arrhythmias," <i>Prog. Cardiovasc. Dis.</i> , 8(4):330-363 (1966).	
		Medtech Insight, "Hot Topics in Heart Failure," 2004 June/July, cover page and pp. 190-200.	
		MEHTA et al., "Cardiology's 10 Greatest Discoveries of the 20th Century," Texas Heart Institute Journal, 2002, 9(3):164-171.	
		MERCANDO et al., "Measurement of Differences in Timing and Sequence Between Two Ventricular Electrodes as a Means of Tachycardia Differentiation," <i>PACE</i> , 1986 November-December, 9(II):1069-1078.	
		MIROWSKI et al., "A Chronically Implanted System for Automatic Defibrillation in Active Conscious Dogs," <i>Circulation</i> , 1978 Jul; 58(1):90-94.	
		MIROWSKI et al., "Clinical Experience with the Implantable Cardioverter-Defibrillator," Annals of the New York Academy of Sciences, 1984, 427:297-306.	
		MIROWSKI et al., "Clinical experience with the automatic implantable defibrillator," Arch. M. Com., 1985, pp. 39-42.	
		MIROWSKI et al., "The Automatic Implantable Cardioverter-Defibrillator," PACE, 1984 May-June, Part II, 7:534-540.	
		MIROWSKI et al., "Use of the automatic implantable cardioverter-defibrillator in the treatment of malignant ventricular tachyarrhythmias," Herz, 1984, 9(2):83-89.	
		MIROWSKI et al., "Clinical Performance of the Implantable Cardioverter-Defibrillator," <i>PACE</i> , 1984 NovDec., Part II, 7:1345-1350.	
		MOLHOEK et al., "QRS Duration and Shortening to Predict Clinical Response to Cardiac Resynchronization Therapy in Patients with End-Stage Heart Failure," PACE, 2004 March, 27:308-313.	
		MOORE et al., "Electrophysiological Studies on Pacing Techniques to Prevent Ventricular Fibrillation," Chapter 22 from Nonpharmacological Therapy of Tachyarrhythmias, Futura Pub. Co., 1987, pp. 345-358.	
$\sqrt{}$		MORTENSEN et al., "Sequential Biventricular Pacing: Evaluation of Safety and Efficacy," PACE, 2004 March, 27:339-345.	

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)				
Sheet	9	of	13	

Complete if Known				
Application Number	10/625,526	_		
Filing Date	July 24, 2003			
First Named Inventor	Morton M. Mower			
Art Unit	3762			
Examiner Name	Unknown			
Attorney Docket Number	06809.0031			

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Translation ⁶
WP		MOSS, "Long-Term Pervenous Atrial Pacing From the Proximal Portion of the Coronary Vein," <i>JAMA</i> , July 28, 1969, 209(4):543-545.	
		MOULOPOULOS et al., "Effect of Site and Intensity of Pacing on Left Ventricular Performance," J. Electocardiology, 16(4):409-415 (1983).	
		MOWER et al., "Unusual Patterns of Conduction Produced by Pacemaker Stimuli," Am. Heart J., 1967 July; 74(1):24-28.	
		MOWER et al., "Automatic Implantable Cardioverter-Defibrillator Structural Characteristics," PACE, NovDec. 1984, 7(No. 6, Pt 2):1331-1337.	
		NAVARRO-LOPEZ et al., "Guideline 8. Criteria for Hospitalization," Rev. Esp. Cardiol., 1997, 50(Supp. 1):47-48. (Spanish with English abstract)	English- Language Abstract
		NAVARRO-LOPEZ et al., "Guideline 1. Diagnosis Of Heart Failure And Ventricular Dysfunction," Rev. Esp. Cardiol., 1997, 50(Supp. 1):3-8 (Spanish with English abstract).	English- Language Abstract
		NAVARRO-LOPEZ et al., "Guideline 4. Management of Congestive Heart Failure," Rev. Esp. Cardiol., 1997, 50(Supp. 1):27-31. (Spanish with English abstract)	English- Language Abstract
		NAVARRO-LOPEZ et al., "Guidelines For The Diagnosis And Management Of Heart Failure And Cardiogenic Shock," Rev. Esp. Cardiol., 1999, 52(Supp. 2):1-54. (Spanish with English abstract)	English- Language Abstract
		ONG et al., "Cephalic vein guide wire technique for implantation of permanent pacemakers," <i>American Heart Journal</i> , Oct. 1987, 4(1):753-756.	
		PARK et al., "Effect of Alteration of Left Ventricular Activation Sequence on the Left Ventricular End-Systolic Pressure-Volume Relation in Closed-Chest Dogs," <i>Circulation Research</i> , Vol. 57, No. 5, Nov. 1985, pp. 706-717.	
		PATEL et al., Letters To The Editor: "Coronary Sinus Pacing," Circulation, Vol. 58, No. 1, July 1978, pp. 187-189.	
		PESCHAR et al., "Left Ventricular Septal and Apex Pacing for Optimal Pump Function in Canine Hearts," <i>Journal of the American College of Cardiology</i> , 2003, 41(7):1218-1226.	
		PLATIA et al., "Management of the Prolonged QT Syndrome and Recurrent Ventricular Fibrillation with an Implantable Automatic Cardioverter-Defibrillator," Clinical Cardiology, 1985, 8:490-493.	
		PLATIA et al. "Sensitivity of various extrastimuls techniques in patients with serious ventricular arrhythmias," <i>American Heart Journal</i> , 1983 October, 106(4):698-703.	
		PLATIA et al., "Treatment of Malignant Ventricular Arrhythmias With Endocardial Resection and Implantation of the Automatic Cardioverter-Defibrillator," The New England Journal of Medicine, 1986 January, 314(4):213-216.	
		PRINZEN et al., "Relation Between the Pacing Induced Sequence of Activation and Left Ventricular Pump Function in Animals," <i>PACE</i> , 2002 April, Part I, 25(4):484-498.	
V		REID et al., "Implantable Cardioverter-Defibrillator: Patient Selection and Implantation Protocol," PACE, 1984 NovDec., Part II, 7:1338-1344.	

Sheet

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

10 of

13

Complete if Known				
Application Number	10/625,526			
Filing Date	July 24, 2003			
First Named Inventor	Morton M. Mower			
Art Unit	3762			
Examiner Name	Unknown			
Attorney Docket Number	06809.0031			

		NON PATENT LITERATURE DOCUMENTS	T
Examiner Initials	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Translation
MP		REID et al., "Clinical Evaluation of the Internal Automatic Cardioverter-Defibrillator in Survivors of Sudden Cardiac Death," <i>Am. J. Cardiol.</i> , 1983 June;51:1608-1609	
		RITTER, "Editorial," PACE, 2003 January, Part II, 26:136.	
		ROGEL et al., "The Universal Pacer: A synchronized-demand pacemaker," J. Thorac. Cardiovasc. Surg., 1971 Mar.; 61(3):466-471.	
		ROSENHECK et al., "Noninstrumental Pacemaker and Defibrillator Lead Removal: The Importance of the Rotation Forces," <i>PACE</i> , Vol. 25, No. 7 July 2002, pp. 1029-1036.	
\		ROSENQVIST et al., "Relative Importance of Activation Sequence Compared to Atrioventricular Synchrony in Left Ventricular Function," <i>Am. J. of Cardiology</i> , Vol. 67, Jan. 15, 1991, pp. 148-156.	
W.		SAMET et al., "Electrical Activation and Mechanical Asynchronism in the Cardiac Cycle of the Dog," Circulation Research, Vol. VII, March 1959, pp. 228-233.	
W		SANTAMORE et al., "A Theoretical and Experimental Model of Ventricular Interdependence," Basic Res. Cardiol., 1986 Sep-Oct; 81(5):529-538.	
M		SCHLANT et al., "Modification of the Law of the Heart: Influence of Early Contracting Areas (P)," Supp. to Circulation, Vols. XXIX and XXX, October 1964, pp. 153-154.	
MP		SHEFER et al., "Left Ventricular Function During Physiological Cardiac Pacing: Relation to Rate, Pacing Mode, and Underlying Myocardial Disease," <i>PACE</i> , Vol. 10, March-April 1987, pp. 315-325.	
M		SILVA et al., "Biventricular Stimulation: A More Physiologic Pacing," 4 th European Symposium on Cardiac Pacing, May 28-31, 1989, Abstract 339, pp. 148.	
		SILVA, "Influencia de la Localizacion de la Estimulacion Electrica Ventricular Sobre la Eficiencia Cardiaca. Estudio Experimental Y Clinico," Tesis Dectoral para la Universidad Autonoma De Madrid Facultad de Medicina (1987), pp. 1-150 (Doctoral Thesis, in Spanish).	No
116		SILVA et al., "Biventricular Stimulation: An Approach to Physiologic Cardiac Stimulation," International Congress of Cardiology, Abstracts, pp. 132 (November 1988).	
Ì		SODI-POLLARES et al., "General Considerations About the Activation Process of the Heart," <i>Deductive and Polyparametric Electrocardiography</i> , 1970, pp. 30-41.	
		TAKESHITA et al., "Effect of Intermittent Left Bundle Branch Block on Left Ventricular Performance," Am. J. of Medicine, Vol. 56, Feb. 1974, pp. 251-255.	
W		TSAGARIS et al., "Species Variablility in Hemodynamic Response to Paired-Pulse Stimulation," Am. J. of Physiology, June 1969, 216(6):1409-1417.	
M		TYERS, "Comparison of the Effect on Cardiac Function of Single-Site and Simultaneous Multiple-Site Ventricular Stimulation After A-V Block," J. Thoracic and Cardiovas. Sur., Vol. 59, No. 2, pp. 211-217 (1970).	
1/18		TYERS et al., "A New Device for Nonoperative Repair of Internal Cardiac Pacemakers," Archives of Surgery, 1966 June, Vol. 92:901-904.	

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet 11 of 13

Complete if Known				
Application Number	10/625,526			
Filing Date	July 24, 2003			
First Named Inventor	Morton M. Mower			
Art Unit	3762			
Examiner Name	Unknown			
Attorney Docket Number	06809.0031			

		NON PATENT LITERATURE DOCUMENTS			
Examiner Cite Initials No.1		Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.			
WP		TYERS, "Maximum Cardiac Performance After Complete Heart Block," Surgical Forum, Vol XVIII, American College of Surgeons, 1967, pp. 132-133.			
		TYERS, "Optimal electrode implantation site for asynchronous dipolar cardiac pacing," Annals of Surgery, Feb. 1968,167(2):168-179.			
		TYERS et al., "An Integrated Program For Safe Permanent Internal Cardiac Pacing," The Journal of Cardiovascular Surgery, 11 th World Congress of International Cardiovascular Society, Barcelona, September 27-29, 1973, Special issue, pp. 163-166.			
	"-	TYERS et al., "Effect of Site of Synchronous Unipolar Ventricular Stimulation and Volume Loading on Cardiac Function," J. Surg. Res., 1973 Oct; 15(4):271-284.			
		TYERS et al., "Comparative studies of 'state of the art' and presently used clinical cardiac pacemaker electrodes," <i>Journal of Thoracic and Cardiovascular Surgery</i> , St. Louis, Vol. 67, No. 6, June 1974, pp. 849-856.			
		TYERS et al., "The Advantages of Transthoracic Placement of Permanent Cardiac Pacemaker Electrodes," <i>Journal of Thoracic and Cardiovascular Surgery</i> , January 1975, 69(1):8-14.			
		TYERS et al., "The unfulfilled promise of demand pacing," Journal of Thoracic and Cardiovascular Surgery, Nov. 1976, 72(5):813-814.			
W		TYERS et al., "Improved R-wave Detection with Intramyocardial Electrodes," 30 th ACEMB, Los Angeles Hilton, Los Angeles, CA, Nov. 5-9, 1977, p. 268.			
		TYERS et al., "R-Wave Detection for Demand Pacing-The Superiority of Intramyocardial Over Endocardial Electrodes," <i>J. Surg. Res.</i> , April 1978, 24(4):316-320.	,		
		TYERS et al., "Myocardial Stimulation Impedance: The Effects Of Electrode, Physiological, and Stimulus Variables," <i>Annals of Thoracic Surgery</i> , 27(1):63-69 (1979).			
		TYERS et al., "Multiprogrammable Pacemakers," Canadian Journal of Surgery, 1981, 24(3):252-256.			
		TYERS et al., "Current Status And Future Of Programmable Pacing," Vogel, J.H.K. (Ed.). Cardiovascular Medicine, Vol. 1., Raven Press: New York, N.Y., (1982), pp. 355-362.			
	·	TYERS et al., "Current Status of Sensor-Modulated Rate-Adaptive Cardiac Pacing," Journal of the American College of Cardiology, 1990 15(2):412-418.			
$\sqrt{}$		TYERS et al., "Medical Device Review In Canada," PACE, March 1995, 18(3):472-473.			
pp		TYERS et al., "Coradial Bipolar Lead Implant and Follow-Up Experience," poster presentation at the North American Society for Pacing and Electrophysiology (NASPE), 17 th Annual Scientific Sessions, Seattle, WA, May 15-18, 1996, 4 pages.			
W		TYERS et al., "Removal of Permanent Endocardial Pacing Leads (1981-1997)," Heartweb, Vol. 4, No. 4, February 1999, (Article No. 9920003), pp. 1-8.			

Sheet

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)
12 of 13

Complete if Known			
Application Number	10/625,526		
Filing Date	July 24, 2003		
First Named Inventor	Morton M. Mower		
Art Unit	3762		
Examiner Name	Unknown		
Attorney Docket Number	06809.0031		

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials			Translation ⁶
Me		TYERS et al., "Bipolar leads for use with permanently implantable cardiac pacing systems: A review of limitations of traditional and coaxial configurations and the development and testing of new conductor, insulation, and electrode designs," <i>J. Invest. Surg.</i> , 1997, 10(1):1-15.	
		TYERS et al., "Similar indications but different methods: Should there be a consensus on optimal lead extraction techniques?", PACE, July 2002, 25(7):1019-1022.	
V		TYERS et al., "Bifocal/Biatrial Pacing in Clinical Practice," The XII th World Congress on Cardiac Pacing & Electrophysiology, Hong Kong, February 19-22, 2003, pp. 715-717.	
		TYERS et al., "Coronary sinus lead extraction," The XII th World Congress on Cardiac Pacing & Electrophysiology, Hong Kong, February 19-22, 2003, pp. 741-743.	-
		TYERS et al., "Surgical Complications of Pacemaker Implant," The XII th World Congress on Cardiac Pacing & Electrophysiology, Hong Kong, February 19-22, 2003, pp. 745-760.	
		WALDO et al., "Ventricular Paired Pacing to Control Rapid Ventricular Heart Rate Following Open Heart Surgery," Circulation, January 1976, 53(1):176-181.	
inR		WALSH et al., "Differentiation of Sinus Rhythms for Supraventricular Tachydysrhythmias by Activation Sequence and Timing," <i>PACE</i> 1990 Dec;13(12 Pt 2): 1972-9 (Abstract Only)	
		WATKINS, Jr. et al., "Surgical Techniques for Implanting the Automatic Implantable Defibrillator," PACE, 1984 NovDec., Part II, 7:1357-1362.	
1		WATKINS et al., "The Treatment of Malignant Ventricular Arrhythmias with Combined Endocardial Resection and Implantation of the Automatic Defibrillator: Preliminary Report," The Annals of Thoracic Surgery, 1984 January, 37(1):60-64.	
		WATKINS et al., "Malignant Ventricular Arrhythmias," The Annals of Thoracic Surgery, 1984 January, 37(1):65-66.	Could not Finds Identify
we		WATKINS et al., "Automatic Implantable Defibrillator," The Journal of Thoracic and Cardiovascular Surgery, 1983 September, 86(3):382-387.	*********
ĺ		WATKINS et al., "Automatic Defibrillation in Man: Is It Feasible?" The American Journal of Surgery, 1983 June, 145:752-755.	
		WAXMAN et al., "Ventricular Pacing from the Middle Cardiac Vein Mimicking Supraventricular Morphology" <i>PACE</i> , Volume 2, March-April 1979, pp. 203-207.	
J.G		WILLIAM-OLSSON et al., "The Effect of Pacemaker Electrode Site on Cardiac Output," J. Thoracic and Cardiovas. Surg., Vol. 45, No. 5, pp. 618-621 (1963).	
		WISH et al., "Optimal Left Atrioventricular Sequence in Dual Chamber Pacing- Limitations of Programmed A-V Interval," <i>JACC</i> , Vol. 3, No. 7, February 1984, p. 507 (Abstract).	
		WITTE et al., "Transvenous Atrial Synchronized Pacing," Advances in Pacemaker Technology, Springer-Verlag Pub., 1975, pp. 99-120.	

Sheet

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

(000 00 11.001) 01.0010 02.11				
	13	of	13	

Complete if Known				
Application Number	10/625,526			
Filing Date	July 24, 2003			
First Named Inventor	Morton M. Mower			
Art Unit	3762			
Examiner Name	Unknown			
Attorney Docket Number	06809.0031			

NON PATENT LITERATURE DOCUMENTS				
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Translation ⁶	
W		YOSHIMORI, "An Experimental Study on the Site for Ventricular Pacing of A Dog Heart with Special Reference to Biventricular Pacing," <i>Nippon Ika Daigaku Zasshi</i> , Vol. 54, No. 3 (1987), pp. 267-276. (Japanese with English-Language Abstract and English Translation Attached)	English Translation Attached	
NR		ZILE et al., "Right Ventricular Pacing Reduces the Rate of Left Ventricular Relaxation and Filling," J. Am. Coll. Cardiol., Vol. 10, No. 3, pp. 702-709 (1987).		
WP		ZIPES et al., "Electrophysiologic Studies on Ventricular Fibrillation," Cardiac Electrophysiology and Arrhythmias, Gruni and Stratton, Pub., 1985, pp. 317-320.		

Examiner Signature	Date Considered	4/12/04

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applican